




# S-245D

■ 技术源自德国  
■ 驱动民族工业



}-\$ c  
LE  
pÖ 3E  
J 4; 3-

}-OÉ  
LE  
pÖ&WÖ 25-  
2508AÖ





S-245D § ¼ FP084



S-245D § ¼ FP084

---




9 ÄP\_i Ø ~ Ö > Ö4i û4ý

1. Ö Êy

1.

1€	1V '	= 0	B\$ >
1	V+	E <del>Ä</del>	<u>+24VDC~ +50VDC</u>
2	V-	E <del>Ä</del>	0V



2(b) ...1 é? x f ' Ö Ö4i.


3 É x f ' & ç .

j 1F } 0 ÈB Ø Æ ¼ • È PULÄDIR ¼ ENA Ä% Cã 0 È?±"r È². 3 p/j :

! # ? Ö 79 â / é A / 7- ' Ä 5V~24VDC ÄTÖLk Ä

2Å EÄD.

OUT 5V LÄ OC DÄ» 30VDC, 0W ¼e# 100mA.  
 UAO PØ Ä- 6V, FJ EÄ ~ +eE. 10E P2:SW15 \$  
 Ä5Ä



:ÖLÄÄ AP Æ VCCÄ 5V~24VDCÄÈ : ù +eLk R(1K~3K)Ä

. 3 & ç .

# Gü Ö

Ä1Ä t1Ö ENAÄÄ DIR 8Ä 5µs  
 ENA+¼ ENA-ÖÄ  
 Ä2Ä t2Ö DIRÄÄ 8Ä} PUL L} 5µs ÄÄ-Ä  
 Ä3Ä t3Ö PUL(79ä )79ÄÄÄ 2.5µs  
 Ä4Ä t4Ö 79ä ~+eÄ 2.5µs —

### P2Ö

### 1Ã CE +4Æ P1:SW1-SW3Å

+XP1:SW1-SW3 100ÅÊ

8 Ze4Ä

EÄ	AA	SW1	SW2	SW3
1.0		ON	ON	ON
1.5		OFF	ON	ON
1.8		ON	OFF	ON
2.2		OFF	OFF	ON
3.0		ON	ON	OFF
3.5		OFF	ON	OFF
4.0		ON	OFF	OFF
4.5		OFF	OFF	OFF

! P1-eA5NzejNËW17-

8\$eFzej1Ä

! F+ePÖ CE +e4BÄÄ +ej NËW 70%

100%E90WCOEWEBOÖF>Fzej#

0cÖE÷ 80EÄ58F2E+ePÖ>E

P%ÖE÷ 80E+ePÖEÄ58F2Ä

### 2Ã j4Ê Ä P1:SW4Å

.10E	Æ	ON	OFF
SW4	j4	50%Ö	90%Ö

0E P1:SW4 A5PÖAËE

1s >PÖ

AË+ej+ePÖ

### 3Ã5AÊ Ä P1:SW5-SW8SW1-SW3







1. A

P0+eS0kejF>kDyAIE;  
 0E+e0eF>|QOW7-Ee+eCWEIOEWE  
 9xFâAÊejeEAÊeQWEej  
 EKWEe+eWEFOFEQWAEe#  
 WR2ejUËu+K8A  
 DÔDÊ2,FE%XÄ

¶ 2 4i W+j

A+

}  
 44 i  
 +ej

%A-

4CB+

MIDP-

### 3 Æ uLìÁú Ý ú ÆL”

¿ '	uLì)àB'	uLì Ì	@ ã Ú í
1	+e\$À&ÿ = Þ	Ë+e3+5 *KI	ð Ë+e4iD
		+e\$À+e » ~	Q +e\$À+e »
2	+e j =Eœ	+e#qAî Ê Z ?	GýAi+e#q
		4ö 6 Z ?	GýAi4ö 6
		Pì Ø ~ Ô	Gý à :+e
		7- ' j ~	ùQ !" ' F = Ö
		Z :+e	

4

œ (Aî 9 ^ > = ÑG È k?±COCS ^ > = Ñ œ È ° \_ ØB 1y œ Ä AñL¿  
&G- 9 0; 8 È 4/ý ° \_ = Ñ Ä < & È A , ' ° \_ 0; 8 6 = È O, ' :L  
Ai È • Ù Ò g@ ãL NÈ Ä  
A, Ë Ö http:// www.